

Author Index

- Abe, H., see Guo, H. (33) 121
 Aizawa, S., see Ikeda, K. (33) 61
 Akopian, A.N., see Ninkina, N.N. (33) 233
 Angulo, J., see Riftina, F. (33) 201
 Araki, K., see Ikeda, K. (33) 61
 Araki, T., see Shida, T. (33) 261
 Asanuma, M., Nishibayashi, S., Kondo, Y., Iwata, E., Tsuda, M. and Ogawa, N. Effects of single cyclosporin A pretreatment on pentylentetrazol-induced convulsion and on TRE-binding activity in the rat brain (33) 29
 Augood, S.J., see Harrington, K.A. (33) 333
 Backstrom, J.R., Westphal, R.S., Canton, H. and Sanders-Bush, E. Identification of rat serotonin 5-HT_{2C} receptors as glycoproteins containing N-linked oligosaccharides (33) 311
 Bartolome, J.V., Wang, S. and Bartolome, M.B. Transcription-dependent and -independent regulation of hepatic ornithine decarboxylase activity by CNS β -endorphin in rat pups (33) 149
 Bartolome, M.B., see Bartolome, J.V. (33) 149
 Basheer, R., see Tempel, A. (33) 227
 Bayney, R.M., see Dewji, N.N. (33) 245
 Bertrand, P., Poirier, J., Oda, T., Finch, C.E. and Pasinetti, G.M. Association of apolipoprotein E genotype with brain levels of apolipoprotein E and apolipoprotein J (clusterin) in Alzheimer disease (33) 174
 Bessert, D.A., Gutridge, K.L., Dunbar, J.C. and Carlock, L.R. The identification of a functional nuclear localization signal in the Huntington disease protein (33) 165
 Bolden-Watson, C., see Yamada, M. (33) 343
 Borden, L.A., see Durkin, M.M. (33) 7
 Borkoski, J.P., see Plata-Salamán, C.R. (33) 72
 Brame, B., see Jennes, L. (33) 104
 Branchek, T.A., see Durkin, M.M. (33) 7
 Buchman, V.L., see Ninkina, N.N. (33) 233
 Campbell, E., see Ninkina, N.N. (33) 233
 Canton, H., see Backstrom, J.R. (33) 311
 Carlock, L.R., see Bessert, D.A. (33) 165
 Centers, A., see Jennes, L. (33) 104
 Chan, P.H., see Mikawa, S. (33) 288
 Cho, T., see Yamada, M. (33) 343
 Coleman, N.J., see Yamada, M. (33) 343
 Conn, P.M., see Jennes, L. (33) 104
 Corcoran, L., see Ninkina, N.N. (33) 233
 Cuello, A.C., see Figueiredo, B.C. (33) 1
 Dewji, N.N., Do, C. and Bayney, R.M. Transcriptional activation of Alzheimer's β -amyloid precursor protein gene by stress (33) 245
 Dikkes, P., see Tolentino, P.J. (33) 47
 Do, C., see Dewji, N.N. (33) 245
 Dunbar, J.C., see Bessert, D.A. (33) 165
 Durkin, M.M., Smith, K.E., Borden, L.A., Weinshank, R.L., Branchek, T.A. and Gustafson, E.L. Localization of messenger RNAs encoding three GABA transporters in rat brain: an in situ hybridization study (33) 7
 Ebert, K., see Tolentino, P.J. (33) 47
 Emson, P.C., see Harrington, K.A. (33) 333
 Epstein, C.J., see Mikawa, S. (33) 288
 Faull, R.L.M., see Harrington, K.A. (33) 333
 Ffrench-Mullen, J.M.H., see Plata-Salamán, C.R. (33) 72
 Figueiredo, B.C., Plüss, K., Skup, M., Otten, U. and Cuello, A.C. Acidic FGF induces NGF and its mRNA in the injured neocortex of adult animals (33) 1
 Finch, C.E., see Bertrand, P. (33) 174
 Fink, J.S., see Tolentino, P.J. (33) 47
 Fukushima, N., see Hayashi, C. (33) 347
 Gall, C.M., see O'Connor, L.T. (33) 277
 Gervasi, C. and Szaro, B.G. The *Xenopus laevis* homologue to the neuronal cyclin-dependent kinase (cdk5) is expressed in embryos by gastrulation (33) 192
 Gibson, G.E., see Kim, K.S. (33) 254
 Gierdalski, M., see Kaminska, B. (33) 295
 Guo, H., Sekiguchi, M., Tanaka, O., Inoue, T., Shima, H., Nagao, M., Tamura, S. and Abe, H. Protein phosphatase mRNA expression in Purkinje cells of staggerer and reeler mutant mice (33) 121
 Gustafson, E.L., see Durkin, M.M. (33) 7
 Gutridge, K.L., see Bessert, D.A. (33) 165
 Harrington, K.A., Augood, S.J., Faull, R.L.M., McKenna, P.J. and Emson, P.C. Dopamine D₁ receptor, D₂ receptor, proenkephalin A and substance P gene expression in the caudate nucleus of control and schizophrenic tissue: a quantitative cellular in situ hybridisation study (33) 333
 Hayashi, C., Ueda, H., Fukushima, N., Katayama, T. and Misu, Y. Protein kinase C inhibitor potentiates the agonist-induced GTPase activity in COS cell membranes expressing δ -opioid receptor (33) 347
 Higuchi, H., see Minami, S. (33) 305
 Hildebrand, B., see Mamot, C. (33) 79
 Hoffmann, W., see Probst, J.C. (33) 269
 Honda, S., Yamamoto, M. and Saito, N. Immunocytochemical localization of three subtypes of GABA transporter in rat retina (33) 319
 Huang, H.-M., see Kim, K.S. (33) 254
 Ikeda, K., Araki, K., Takayama, C., Inoue, Y., Yagi, T., Aizawa, S. and Mishina, M. Reduced spontaneous activity of mice defective in the ϵ 4 subunit of the NMDA receptor channel (33) 61
 Imai, Y., see Ishiguro, M. (33) 37
 Imai, Y., see Unterwald, E.M. (33) 351
 Inoue, T., see Guo, H. (33) 121
 Inoue, Y., see Ikeda, K. (33) 61
 Ishiguro, M., Imai, Y. and Kohsaka, S. Expression and distribution of low density lipoprotein receptor-related protein mRNA in the rat central nervous system (33) 37
 Iwata, E., see Asanuma, M. (33) 29
 Janovick, J.A., see Jennes, L. (33) 104
 Jennes, L., Brame, B., Centers, A., Janovick, J.A. and Conn, P.M. Regulation of hippocampal gonadotropin releasing hormone (GnRH) receptor mRNA and GnRH-stimulated inositol phosphate production by gonadal steroid hormones (33) 104
 Jirikowski, G.F., see Probst, J.C. (33) 269
 Joh, T., see Kim, K.S. (33) 254
 Johnson, H., see Meister, B. (33) 87
 Jones, L.C., see Scammell, J.G. (33) 326
 Just, W., see Lahr, G. (33) 179
 Kaczmarek, L., see Kaminska, B. (33) 295
 Kamegai, J., see Minami, S. (33) 305
 Kamii, H., see Mikawa, S. (33) 288
 Kaminska, B., Mosieniak, G., Gierdalski, M., Kossut, M. and Kaczmarek, L. Elevated AP-1 transcription factor DNA binding activity at the onset of functional

- plasticity during development of rat sensory cortical areas (33) 295
- Katayama, T., see Hayashi, C. (33) 347
- Kelsoe, J.R., see Richtand, N.M. (33) 97
- Kim, K.S., Huang, H.-M., Zhang, H., Wagner, J., Joh, T. and Gibson, G.E.
The role of signal transduction systems in mediating cell density dependent changes in tyrosine hydroxylase gene expression (33) 254
- Kinouchi, H., see Mikawa, S. (33) 288
- Kiyama, H., see Shida, T. (33) 261
- Kohsaka, S., see Ishiguro, M. (33) 37
- Kondo, E., see Shida, T. (33) 261
- Kondo, H., see Sakagami, H. (33) 185
- Kondo, Y., see Asanuma, M. (33) 29
- Kossut, M., see Kaminska, B. (33) 295
- Kreek, M.J., see Unterwald, E.M. (33) 351
- Kuczenski, R., see Richtand, N.M. (33) 97
- Lahr, G., Maxson, S.C., Mayer, A., Just, W., Pilgrim, C. and Reisert, I.
Transcription of the Y chromosomal gene, *Sry*, in adult mouse brain (33) 179
- Lamperti, E.D., see Tolentino, P.J. (33) 47
- Lauterborn, J.C., see O'Connor, L.T. (33) 277
- Lawson, S.N., see Ninkina, N.N. (33) 233
- Mamot, C., Hildebrand, B., Olenik, C., Simmet, T. and Meyer, D.K.
Evidence for the involvement of 5-lipoxygenase products in the regulation of the expression of the proenkephalin gene in cultured astroglial cells (33) 79
- Matsui, T., Sashihara, S., Oh, Y. and Waxman, S.G.
An orphan nuclear receptor, mROR α , and its spatial expression in adult mouse brain (33) 217
- Maxson, S.C., see Lahr, G. (33) 179
- Mayer, A., see Lahr, G. (33) 179
- McEwen, B., see Riftina, F. (33) 201
- McEwen, B.S., see Pompei, P. (33) 209
- McKenna, P.J., see Harrington, K.A. (33) 333
- McLaughlin, P.J., see Zagon, I.S. (33) 111
- McNamara, R.K. and Routtenberg, A.
NMDA receptor blockade prevents kainate induction of protein F1/GAP-43 mRNA in hippocampal granule cells and subsequent mossy fiber sprouting in the rat (33) 22
- Meister, B., Johnson, H. and Ulfhake, B.
Increased expression of serotonin transporter messenger RNA in raphe neurons of the aged rat (33) 87
- Meyer, D.K., see Mamot, C. (33) 79
- Mikawa, S., Sharp, F.R., Kamii, H., Kinouchi, H., Epstein, C.J. and Chan, P.H.
Expression of *c-fos* and *hsp70* mRNA after traumatic brain injury in transgenic mice overexpressing CuZn-superoxide dismutase (33) 288
- Minami, S., Kamegai, J., Sugihara, H., Suzuki, N., Higuchi, H. and Wakabayashi, I.
Central glucoprivation evoked by administration of 2-deoxy-D-glucose induces expression of the *c-fos* gene in a subpopulation of neuropeptide Y neurons in the rat hypothalamus (33) 305
- Mishina, M., see Ikeda, K. (33) 61
- Misu, Y., see Hayashi, C. (33) 347
- Morrell, J.I., see Wagner, C.K. (33) 127
- Mosieniak, G., see Kaminska, B. (33) 295
- Müller-Schmid, A., see Probst, J.C. (33) 269
- Nagao, M., see Guo, H. (33) 121
- Ninkina, N.N., Buchman, V.L., Akopian, A.N., Lawson, S.N., Yamamoto, M., Campbell, E., Corcoran, L. and Wood, J.N.
Nerve growth factor-regulated properties of sensory neurones in Oct-2 null mutant mice (33) 233
- Nishibayashi, S., see Asanuma, M. (33) 29
- O'Connor, L.T., Lauterborn, J.C., Smith, M.A. and Gall, C.M.
Expression of agrin mRNA is altered following seizures in adult rat brain (33) 277
- Oda, T., see Bertrand, P. (33) 174
- Ogawa, N., see Asanuma, M. (33) 29
- Oh, Y., see Matsui, T. (33) 217
- Olenik, C., see Mamot, C. (33) 79
- Otten, U., see Figueiredo, B.C. (33) 1
- Pasinetti, G.M., see Bertrand, P. (33) 174
- Pilgrim, C., see Lahr, G. (33) 179
- Pilgrim, C., see Raab, H. (33) 157
- Plata-Salamán, C.R., Wilson, C.D., Sonti, G., Borkoski, J.P. and French-Mullen, J.M.H.
Antisense oligodeoxynucleotides to G-protein α -subunit subclasses identify a transductional requirement for the modulation of normal feeding dependent on $G\alpha_{OA}$ subunit (33) 72
- Plüss, K., see Figueiredo, B.C. (33) 1
- Poirier, J., see Bertrand, P. (33) 174
- Pompei, P., Riftina, F. and McEwen, B.S.
Effect of adrenal steroids on preproenkephalin-A gene expression in discrete regions of the rat brain (33) 209
- Pompei, P., see Riftina, F. (33) 201
- Probst, J.C., Skutella, T., Müller-Schmid, A., Jirikowski, G.F. and Hoffmann, W.
Molecular and cellular analysis of rP1.B in the rat hypothalamus: In situ hybridization and immunohistochemistry of a new P-domain neuropeptide (33) 269
- Raab, H., Pilgrim, C. and Reisert, I.
Effects of sex and estrogen on tyrosine hydroxylase mRNA in cultured embryonic rat mesencephalon (33) 157
- Reisert, I., see Lahr, G. (33) 179
- Reisert, I., see Raab, H. (33) 157
- Reppert, S.M., see Weaver, D.R. (33) 136
- Reutter, M.A., see Scammell, J.G. (33) 326
- Richelson, E., see Yamada, M. (33) 343
- Richtand, N.M., Kelsoe, J.R., Segal, D.S. and Kuczenski, R.
Regional quantification of D1, D2, and D3 dopamine receptor mRNA in rat brain using a ribonuclease protection assay (33) 97
- Riftina, F., Angulo, J., Pompei, P. and McEwen, B.
Regulation of angiotensinogen gene expression in the rat forebrain by adrenal steroids and relation to salt appetite (33) 201
- Riftina, F., see Pompei, P. (33) 209
- Routtenberg, A., see McNamara, R.K. (33) 22
- Rubinfeld, J.M., see Unterwald, E.M. (33) 351
- Saito, N., see Honda, S. (33) 319
- Sakagami, H., Sawamura, Y. and Kondo, H.
Synchronous patchy pattern of gene expression for adenylyl cyclase and phosphodiesterase but discrete expression for G-protein in developing rat striatum (33) 185
- Sanders-Bush, E., see Backstrom, J.R. (33) 311
- Sashihara, S., see Matsui, T. (33) 217
- Sawamura, Y., see Sakagami, H. (33) 185
- Scammell, J.G., Sumners, C., Reutter, M.A., Valentine, D.L. and Jones, L.C.
Regulation of secretogranin II mRNA in rat neuronal cultures (33) 326
- Segal, D.S., see Richtand, N.M. (33) 97
- Sekiguchi, M., see Guo, H. (33) 121
- Sharp, F.R., see Mikawa, S. (33) 288
- Shida, T., Kondo, E., Ueda, Y., Takai, N., Yoshida, Y., Araki, T., Kiyama, H. and Tohyama, M.
Role of amino acids in salivation and the localization of their receptors in the rat salivary gland (33) 261
- Shima, H., see Guo, H. (33) 121
- Simmet, T., see Mamot, C. (33) 79
- Skup, M., see Figueiredo, B.C. (33) 1
- Skutella, T., see Probst, J.C. (33) 269
- Smith, K.E., see Durkin, M.M. (33) 7
- Smith, M.A., see O'Connor, L.T. (33) 277
- Sonti, G., see Plata-Salamán, C.R. (33) 72
- Sugihara, H., see Minami, S. (33) 305
- Sumners, C., see Scammell, J.G. (33) 326
- Suzuki, N., see Minami, S. (33) 305
- Szaro, B.G., see Gervasi, C. (33) 192
- Takai, N., see Shida, T. (33) 261
- Takayama, C., see Ikeda, K. (33) 61
- Tamura, S., see Guo, H. (33) 121
- Tanaka, O., see Guo, H. (33) 121
- Tempel, A., Yang, J. and Basheer, R.
Prenatal morphine exposure differentially alters expression of opioid peptides in striatum of newborns (33) 227
- Tohyama, M., see Shida, T. (33) 261
- Tolentino, P.J., Dikkes, P., Tsuruda, L., Ebert, K., Fink, J.S., Villa-Komaroff, L. and Lamperti, E.D.
Quantitative analysis of the expression of a VIP transgene (33) 47
- Tsuda, M., see Asanuma, M. (33) 29
- Tsuruda, L., see Tolentino, P.J. (33) 47
- Ueda, H., see Hayashi, C. (33) 347
- Ueda, Y., see Shida, T. (33) 261
- Uhl, G.R., see Unterwald, E.M. (33) 351
- Ulfhake, B., see Meister, B. (33) 87
- Unterwald, E.M., Rubinfeld, J.M., Imai, Y., Wang, J.-B., Uhl, G.R. and Kreek, M.J.
Chronic opioid antagonist administration upregulates mu opioid receptor binding without altering mu opioid receptor mRNA levels (33) 351
- Valentine, D.L., see Scammell, J.G. (33) 326
- Villa-Komaroff, L., see Tolentino, P.J. (33) 47

- Wagner, C.K. and Morrell, J.I.
In situ analysis of estrogen receptor mRNA expression in the brain of female rats during pregnancy (33) 127
- Wagner, J., see Kim, K.S. (33) 254
- Wakabayashi, I., see Minami, S. (33) 305
- Wang, J.-B., see Unterwald, E.M. (33) 351
- Wang, S., see Bartolome, J.V. (33) 149
- Watson, M.A., see Yamada, M. (33) 343
- Waxman, S.G., see Matsui, T. (33) 217
- Weaver, D.R. and Reppert, S.M.
Definition of the developmental transition from dopaminergic to photic regulation of *c-fos* gene expression in the rat suprachiasmatic nucleus (33) 136
- Weinshank, R.L., see Durkin, M.M. (33) 7
- Westphal, R.S., see Backstrom, J.R. (33) 311
- Wilson, C.D., see Plata-Salamán, C.R. (33) 72
- Wood, J.N., see Ninkina, N.N. (33) 233
- Yagi, T., see Ikeda, K. (33) 61
- Yamada, M., Bolden-Watson, C., Watson, M.A., Cho, T., Coleman, N.J., Yamada, M. and Richelson, E.
Regulation of neurotensin receptor mRNA expression by the receptor antagonist SR 48692 in the rat midbrain dopaminergic neurons (33) 343
- Yamada, M., see Yamada, M. (33) 343
- Yamamoto, M., see Honda, S. (33) 319
- Yamamoto, M., see Ninkina, N.N. (33) 233
- Yang, J., see Tempel, A. (33) 227
- Yoshida, Y., see Shida, T. (33) 261
- Zagon, I.S. and McLaughlin, P.J.
Gene-peptide relationships in the developing rat brain: the response of preproenkephalin mRNA and [Met⁵]-enkephalin to acute opioid antagonist (naltrexone) exposure (33) 111
- Zhang, H., see Kim, K.S. (33) 254

